



Pak-A-Can

Single Compression Baler

Overview 3100



- Ideal for recycling centers or other processors of Used Beverage Cans (UBCs)
- Self-contained, compact design
- No special foundation required
- Minimal field set up
- Self-cleaning horizontal gate
- Keyed and Bolted Construction
- Bolted replaceable A-R liner plates
- Globally available hydraulic and electronic components
- PLC machine control
- Easy access to all machine components
- Built with tough and dependable NOPAK cylinders
- Energy efficient power unit
- CE Certification Available
- Manual operation standard; automatic operation available
- Completely assembled and tested prior to shipping
- Installation and service personnel available

BALE SIZE• H X W X L	AVERAGE BALE WEIGHT (ALUMINUM)	CYCLE TIME •	BALES PER HOUR	MOTOR TEFC■	OVERALL LENGTH	OVERALL HEIGHT	OVERALL WIDTH	APPROX. SHIPPING WEIGHT
IN (MM)	LBS (KG)	SEC.	HOUK -	HP (KW)	IN (MM)	IN (MM)	IN (MM)	LBS (KG)
11 x 11 x 8 (279 x 279 x 203)	22-24 (10-11)	50	72	20 (14.9)	108 (2,743)	115 (2,921)	80 (2,032)	5,300 (2,400)

- = Bale sizes other than those listed are available to meet specific requirements.
- = Horsepower and cycle times (bales per hour) other than those listed are available.

Additional Options

- Magnetic separator
- Vertical storage hopper
- Pre-flattener increases capacity up to 2,000 lbs/hour
- Extended load options available





NOTE:

- Engineering Data Sheets available for download at www.nopak.com.
- Dimensions and specifications are for general reference only.
- Certified drawings for construction and installation are available.



The GHN Difference

Galland Henning Nopak, Inc. (GHN) started in 1887 manufacturing pneumatic malting equipment. Surviving Prohibition and the Great Depression, GHN began innovating the high density balers and cylinders and valves it's known for today. Galland Henning Nopak is moving forward at a rapid pace.

In January of 2015 we moved into a new World Headquarters in Franklin, WI. Our facility sits on six acres and boasts cutting edge CNC machining. The new facility has increased capacity and expanded capability. This allows us to produce large bore close tolerance cylinders and valves.

GHN unveiled a new brand mark, capitalizing on two product lines: Galland Henning High Density Balers, and NOPAK Cylinders and Valves. With this re-branding came a modernized website and new full-line catalog.

GHN also unleashed a new web-based 3D Product Configurator. This innovative software allows customers to build, price, and generate multiple CAD models and drawings.

The Galland Henning Nopak team continues to strive for excellence. We stand behind our century-old reputation for delivering durable, long-lasting products. NOPAK backs up these claims with an industry leading five-year exclusive warranty. We are proud to introduce our products to you and are excited to be a partner in your business solutions.

